


Building Data Summary	
Project ID:	Cherry Creek Eleentary School
Location:	Lowell,Michigan
Scope of Work:	Flooring
Date:	

Item #	Ref. Sheet #	Item Description	Unit	Quantity	Wastage	Quantity w/ Wastage	Unit Material Cost	Total Material Cost	Unit Manhour	Hourly Wage	Unit Labor Cost	Total Labor Cost	Sub Cost	Total Trade Cost		
DIVISION.01 GENERAL REQUIREMENTS																
1		Supervision and Coordination	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
2		Submittals and Shop drawings	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
3		Final Cleaning	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
4		Mobilization Costs	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
5		Temporary Control & Facilities	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
Subtotal (General Requirements)														\$ -		
DIVISION 09- FINISHES																
Demolition																
6		Remove Carpet Floor	SF	40196	0%	40196	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
7		Remove Carpet Floor Base	LF	3855	0%	3855	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
Flooring																
8		RF1 Resinous Flooring Manuf: TNEMEC Pattern: SERIES N224 DECO-FLECK Color: SNOWFALL	SF	1507	5%	1582	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
9		CPTL1 24"x24"x6.35MM Carpet Tile Manuf: SHAWCONTRACT Pattern: IMAGINE TILE Color: BRAINSTORM 93500 Model: ST594	SF	22992	5%	24142	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
10		CPTL2 24"x24"x6.35MM Carpet Tile Manuf: SHAWCONTRACT Pattern: IMAGINE TILE Color: CUSTOM 516709	SF	2218	5%	2329	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
11		CPTL3 24"x24"x6.35MM Carpet Tile Manuf: SHAWCONTRACT Pattern: IMAGINE TILE Color: BRAINSTORM BLUE 93486	SF	1981	5%	2080	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
12		CPTL4 24"x24"x6.35MM Carpet Tile Manuf: SHAWCONTRACT Pattern: IMAGINE TILE Color: REVEAL RED 93855 Model: ST594	SF	600	5%	630	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
13		CPTL5 24"x24"x6.35MM Carpet Tile Manuf: SHAWCONTRACT Pattern: IMAGINE TILE Color: REVEAL 93761 Model: ST594	SF	5600	5%	5880	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
14		ECPL1 24"x24" Entrance Carpet Tile Manuf: SHAWCONTRACT Pattern: PACE Color: STRIDE Model: ST41314505	SF	2880	5%	3024	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
15		LVT1 6"x48"x205MM Luxury Vinyl Tile Manuf: SHAWCONTRACT Pattern: TERRAIN II 20 MIL Color: Prime 00240 Model: 0454	SF	2025	5%	2126	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
16		LVT2 24"x24"x5MM Luxury Vinyl Tile Manuf: SHAWCONTRACT Pattern: CATS.0 Color: COMPOSITE 98515 Model: 4098V	SF	1460	5%	1533	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
17		SV1 Sheet Vinyl Manuf: GERFLOR Pattern: MIPOLAM AFFINITY Color: 7245 GREY	SF	395	5%	415	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
18		TCF1 24"x24"x.205" Textile Composite Flooring Manuf: J+J FLOORING Pattern: CARBON COPY Color: DEAD RINGER 3408 Model: 1854	SF	10965	5%	11513	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
19		TCF2 24"x24"x.205" Textile Composite Flooring Manuf: J+J FLOORING Pattern: PARALLELS Color: DOUBLE 3534 Model: 1856	SF	3525	5%	3701	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
Wall Base																
20		RB1 4" H x12' Coils Resilient Base Manuf: TARKETT JOHNSONITE Pattern: TRADITIONAL DURACOVE THERMOPLASTIC RUBBER BASE Color: BURNT UMBER B Model: 63	LF	6805	5%	7145	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
21		RB2 6" H x.25 x 8' Resilient Base Manuf: TARKETT JOHNSONITE Pattern: TRADITIONAL DURACOVE THERMOPLASTIC RUBBER BASE Color: BURNT UMBER B Model: MW-63-FS	LF	1375	5%	1444	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
22		RFB1 6" H Resinous Base Manuf: TNEMEC Pattern: SERIES N224 DECO-FLECK Color: SNOWFALL	LF	236	5%	248	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
Transition																
23		Floor Transition	LF	1525	5%	1601	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -			
Subtotal (Finishes)														\$ -		
														PROJECTED COST	\$ -	
														INSURANCE	3%	\$ -
														CONTINGENCY	5%	\$ -
														OVERHEAD AND PROFIT	15%	\$ -
														TAX	0.00%	\$ -
														SUGGESTED BID	\$ -	




**Remove Carpet Floor**  
**Remove Carpet Floor Base**

**5,449.8 SQ FT**  
**688.2 FT**

- KEYED NOTES - ARCHITECTURAL - DEMOLITION**
- 1 REMOVE SLAB STRUCTURE AS REQUIRED FOR NEW CONSTRUCTION.
  - 2 REMOVE CARPET FLOOR & WALL BASE, REFER TO INTERIORS
  - 3 REMOVE CARPET RISER SYSTEM & WALL BASE, REFER TO NEW CONSTRUCTION AND INTERIORS
  - 4 REMOVE LVT/CT FLOOR & WALL BASE, REFER TO INTERIORS
  - 5 REMOVE TILE FLOOR & WALL BASE, REFER TO INTERIORS
  - 6 REMOVE PORTION OF BRICK & CMU WALL FOR NEW OPENING, REFER TO NEW CONSTRUCTION
  - 7 REMOVE BRICK WALL
  - 8 REMOVE BRICK & CMU WALL
  - 10 REMOVE PORTION OF CMU WALL FOR NEW OPENING, COORDINATE WITH NEW CONSTRUCTION
  - 11 REMOVE PORTION OF CMU WALL FOR INSTALLATION FIRE EXTINGUISHER CABINET, COORDINATE WITH NEW CONSTRUCTION
  - 12 REMOVE PORTION OF CMU WALL AS REQUIRED FOR MEP, COORDINATE WITH NEW CONSTRUCTION, MECHANICAL, ELECTRICAL, & PLUMBING
  - 13 REMOVE CMU WALL
  - 14 REMOVE METAL STUD WALL
  - 15 REMOVE WALL TILE - REFER TO INTERIORS
  - 16 REMOVE PARTITION WALL SYSTEM (OPERABLE / NON-OPERABLE), ASSOCIATED COMPONENTS & STRUCTURE ABOVE
  - 17 SALVAGE STOREFRONT SYSTEM FOR REUSE - SALVAGE DOOR PANEL & HARDWARE, GLAZING, PANEL, FRAME, ETC. REFER TO NEW CONSTRUCTION
  - 18 REMOVE & REPLACE DOOR PANEL & HARDWARE. HM DOOR PANEL & FRAME TO REMAIN AND BE PREPARED FOR NEW PAINT
  - 19 REMOVE DOOR AND FRAME SYSTEM
  - 20 REMOVE HOLLOW METAL SYSTEM - DOOR, GLAZING, PANEL FRAME, ETC.
  - 21 REMOVE OVERHEAD / SERVICE WINDOW
  - 22 REMOVE BAY WINDOW SYSTEM, REFER TO REFERENCE PHOTOS ON AD 701
  - 23 REMOVE WINDOW AND FRAME SYSTEM
  - 24 REMOVE & REPLACE GLAZING, PREP HM FRAMES TO BE PAINTED
  - 25 ALTERNATE #4 - BASE BID: PREP HM FRAMES TO BE PAINTED. ALTERNATE: INCLUDES BASE BID AND REMOVE GLAZING
  - 32 REMOVE BENCH TILE FINISH AND SALVAGE WOOD BACKREST TO BE REFINISHED
  - 33 REMOVE BENCH & CONCRETE BASE
  - 34 REMOVE LOCKERS, BENCH & CONCRETE BASE
  - 35 REMOVE LOCKERS & LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
  - 36 REMOVE LOCKERS & BULKHEAD ABOVE. PROTECT PORTION OF LOCKER BASE (REMOVE BRICK BASE, CONCRETE CURB TO REMAIN). REFER TO NEW CONSTRUCTION
  - 37 REMOVE LOCKERS & BULKHEAD ABOVE. REMOVE LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
  - 38 REMOVE CASEWORK
  - 39 REMOVE DISPLAY CASE GLAZING SYSTEM & FINISHES (FLOOR, WALL, CEILING) IN PREPARATION FOR NEW FINISHES
  - 40 REMOVE DISPLAY CASE
  - 41 REMOVE COMBINATION / TACK / MARKER BOARD
  - 42 REMOVE TOILET PARTITIONS AND/OR ACCESSORIES
  - 43 REMOVE FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER. RETURN FIRE EXTINGUISHER TO OWNER
  - 44 REFER TO FOOD SERVICE FOR SERVISTRY & KITCHEN EQUIPMENT REMOVAL & SALVAGING
  - 45 REMOVE STAINLESS STEEL WALL COVER PLATE
  - 46 REMOVE DRINKING FOUNTAIN, REFER TO PLUMBING
  - 47 SALVAGE 5 NKS FOR REUSE, REFER TO PLUMBING. REFER TO NEW CONSTRUCTION FOR NEW LOCATION
  - 48 REMOVE PLUMBING FIXTURE, REFER TO PLUMBING
  - 49 REMOVE SHOWER UNIT, REFER TO PLUMBING
- THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING**

**CHERRY CREEK ELEMENTARY**



**KEY PLAN**  
SCALE: NO SCALE

**FIRST FLOOR DEMOLITION PLAN - UNIT A**  
1/8" = 1'-0"

PROJECT TITLE  
**CHERRY CREEK ELEMENTARY  
RENOVATION**

OWNER  
**LOWELL AREA SCHOOLS**

SHEET TITLE  
**FIRST FLOOR DEMO PLAN - UNIT A**

Lowell, Michigan


DATE  
**JULY 10, 2025**  
SHEET NUMBER  
**AD 101A**  
22-214-100

**TowerPinkster**  
Architecture - Engineering - Interiors  
© 2025. ALL RIGHTS RESERVED

ISSUED FOR  
DATE



\*REFERENCE PHOTOS OF THE EXISTING BUILDING DO NOT SHOW ALL CONDITIONS OR FULL SCOPE OF WORK - REFER TO DEMOLITION AND NEW CONSTRUCTION DRAWINGS\*




KEYED NOTES - ARCHITECTURAL - DEMOLITION

- 1 REMOVE SLAB STRUCTURE AS REQUIRED FOR NEW CONSTRUCTION.
- 2 REMOVE CARPET FLOOR & WALL BASE, REFER TO INTERIORS.
- 3 REMOVE CARPET RBER SYSTEM & WALL BASE, REFER TO NEW CONSTRUCTION AND INTERIORS.
- 4 REMOVE LVT/CT FLOOR & WALL BASE, REFER TO INTERIORS.
- 5 REMOVE TILE FLOOR & WALL BASE, REFER TO INTERIORS.
- 6 REMOVE PORTION OF BRICK & CMU WALL FOR NEW OPENING, REFER TO NEW CONSTRUCTION.
- 7 REMOVE BRICK WALL.
- 8 REMOVE BRICK & CMU WALL.
- 10 REMOVE PORTION OF CMU WALL FOR NEW OPENING, COORDINATE WITH NEW CONSTRUCTION.
- 11 REMOVE PORTION OF CMU WALL FOR INSTALLATION FIRE EXTINGUISHER CABINET, COORDINATE WITH NEW CONSTRUCTION.
- 12 REMOVE PORTION OF CMU WALL AS REQUIRED FOR MEP, COORDINATE WITH NEW CONSTRUCTION, MECHANICAL, ELECTRICAL, & PLUMBING.
- 13 REMOVE CMU WALL.
- 14 REMOVE METAL STUD WALL.
- 15 REMOVE WALL TILE - REFER TO INTERIORS.
- 16 REMOVE PARTITION WALL SYSTEM (OPERABLE / NON OPERABLE), ASSOCIATED COMPONENTS & STRUCTURE ABOVE.
- 17 SALVAGE STOREFRONT SYSTEM FOR REUSE - SALVAGE DOOR PANEL & HARDWARE, GLAZING, PANEL FRAME, ETC. REFER TO NEW CONSTRUCTION.
- 18 REMOVE & REPLACE DOOR PANEL & HARDWARE. HM DOOR PANEL & FRAME TO REMAIN AND BE PREP'ED FOR NEW PAINT.
- 19 REMOVE DOOR AND FRAME SYSTEM.
- 20 REMOVE HOLLOW METAL SYSTEM - DOOR, GLAZING, PANEL, FRAME, ETC.
- 21 REMOVE OVERHEAD / SERVICE WINDOW.
- 22 REMOVE DAY WINDOW SYSTEM, REFER TO REFERENCE PHOTOS ON AD 701.
- 23 REMOVE WINDOW AND FRAME SYSTEM.
- 24 REMOVE & REPLACE GLAZING. PREP HM FRAMES TO BE PAINTED.
- 25 ALTERNATE #4 - BASE BID: PREP HM FRAMES TO BE PAINTED. ALTERNATE INCLUDES BASE BID AND REMOVE GLAZING.
- 32 REMOVE BENCH TILE FINISH AND SALVAGE WOOD BACKREST TO BE REFINISHED.
- 33 REMOVE BENCH & CONCRETE BASE.
- 34 REMOVE LOCKERS, BENCH & CONCRETE BASE.
- 35 REMOVE LOCKERS & LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100.
- 36 REMOVE LOCKERS & BULKHEAD ABOVE. PROTECT PORTION OF LOCKER BASE (REMOVE BRICK BASE, CONCRETE CURB TO REMAIN, REFER TO NEW CONSTRUCTION.
- 37 REMOVE LOCKERS & BULKHEAD ABOVE. REMOVE LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100.
- 38 REMOVE CASEWORK.
- 39 REMOVE DISPLAY CASE GLAZING SYSTEM & FINISHES (FLOOR, WALL, CEILING) IN PREPARATION FOR NEW FINISHES.
- 40 REMOVE DISPLAY CASE.
- 41 REMOVE COMBINATION / TACK/ MARKER BOARD.
- 42 REMOVE TOILET PARTITIONS AND/OR ACCESSORIES.
- 43 REMOVE FIRE EXTINGUISHER CABINET/ FIRE EXTINGUISHER. RETURN FIRE EXTINGUISHER TO OWNER.
- 44 REFER TO FOOD SERVICE FOR SERVET: & KITCHEN EQUIPMENT REMOVAL & SALVAGING.
- 45 REMOVE STAINLESS STEEL WALL COVER PLATE.
- 46 REMOVE DRINKING FOUNTAIN, REFER TO PLUMBING.
- 47 SALVAGE SINKS FOR REUSE, REFER TO PLUMBING. REFER TO NEW CONSTRUCTION FOR NEW LOCATION.
- 48 REMOVE PLUMBING FIXTURE, REFER TO PLUMBING.
- 49 REMOVE SHOWER UNIT, REFER TO PLUMBING.

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN  
COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE,  
IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN  
AN ACCURATE DRAWING

**CHERRY CREEK ELEMENTARY**



 **KEY PLAN**  
SCALE: NO SCALE

**ISSUED FOR**

DATE \_\_\_\_\_

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

Lowell, Michigan

SHEET TITLE  
FIRST FLOOR DEMO PLAN - UNIT B

SHEET NUMBER  
**AD 101B**  
22-214.100

DATE  
JULY 10, 2025

SHEET NUMBER  
**AD 101**  
22-214.100

**lowerPinkster**  
Architecture · Engineering · Interiors

TOWERPUNKSTER.COM  
© 2025. ALL RIGHTS RESERVED

**FIRST FLOOR DEMOLITION PLAN - UNIT B**

$$1/8^* = 1^{\circ}\text{-C}$$



# REFERENCE PHOTOS

\*REFERENCE PHOTOS OF THE EXISTING BUILDING DO NOT SHOW ALL CONDITIONS OR FULL SCOPE OF WORK - REFER TO DEMOLITION AND NEW CONSTRUCTION DRAWINGS\*




UNIT C - MECH. ROOF




UNIT C - NORTH ELEVATION



UNIT C - WEST ELEVATION AT ROOMS 116 & 120




UNIT C - CORRIDOR



UNIT C - WEST ELEVATION EXTERIOR STOREFRONT DOORS



UNIT C - NORTH ELEVATION SIDE WINDOW



UNIT C & UNIT D - STRUCTURE @ PARTITION WALLS  
REFER TO PAGE 10

**Remove Carpet Floor**  
**Remove Carpet Floor Base**

**13,297.7 SQ FT**


**1,102.4 FT**

## KEYED NOTES - ARCHITECTURAL - DEMOLITION

- 1 REMOVE SLAB STRUCTURE AS REQUIRED FOR NEW CONSTRUCTION.
- 2 REMOVE CARPET FLOOR & WALL BASE, REFER TO INTERIORS
- 3 REMOVE CARPET RISER SYSTEM & WALL BASE, REFER TO NEW CONSTRUCTION AND INTERIORS
- 4 REMOVE LVT/CT FLOOR & WALL BASE, REFER TO INTERIORS
- 5 REMOVE TILE FLOOR & WALL BASE, REFER TO INTERIORS
- 6 REMOVE PORTION OF BRICK & CMU WALL FOR NEW OPENING, REFER TO NEW CONSTRUCTION
- 7 REMOVE BRICK WALL
- 8 REMOVE BRICK & CMU WALL
- 10 REMOVE PORTION OF CMU WALL FOR NEW OPENING, COORDINATE WITH NEW CONSTRUCTION
- 11 REMOVE PORTION OF CMU WALL FOR INSTALLATION FIRE EXTINGUISHER CABINET, COORDINATE WITH NEW CONSTRUCTION
- 12 REMOVE PORTION OF CMU WALL AS REQUIRED FOR MEP, COORDINATE WITH NEW CONSTRUCTION, MECHANICAL, ELECTRICAL, & PLUMBING
- 13 REMOVE CMU WALL
- 14 REMOVE METAL STUD WALL
- 15 REMOVE WALL TILE - REFER TO INTERIORS
- 16 REMOVE PARTITION WALL SYSTEM (OPERABLE / NON-OPERABLE), ASSOCIATED COMPONENTS & STRUCTURE ABOVE
- 17 SALVAGE STOREFRONT SYSTEM FOR REUSE - SALVAGE DOOR PANEL & HARDWARE, GLAZING, PANEL, FRAME, ETC. REFER TO NEW CONSTRUCTION
- 18 REMOVE & REPLACE DOOR PANEL & HARDWARE - HM DOOR PANEL & FRAME TO REMAIN AND BE PREPARED FOR NEW PAINT
- 19 REMOVE DOOR AND FRAME SYSTEM
- 20 REMOVE HOLLOW METAL SYSTEM - DOOR, GLAZING, PANEL, FRAME, ETC.
- 21 REMOVE OVERHEAD / SERVICE WINDOW
- 22 REMOVE BAY WINDOW SYSTEM, REFER TO REFERENCE PHOTOS ON AD 701
- 23 REMOVE WINDOW AND FRAME SYSTEM
- 24 REMOVE & REPLACE GLAZING, PREP HM FRAMES TO BE PAINTED
- 25 ALTERNATE #4 - BASE BID: PREP HM FRAMES TO BE PAINTED. ALTERNATE: INCLUDES BASE BID AND REMOVE GLAZING
- 32 REMOVE BENCH TILE FINISH AND SALVAGE WOOD BACKREST TO BE REFINISHED
- 33 REMOVE BENCH & CONCRETE BASE
- 34 REMOVE LOCKERS, BENCH & CONCRETE BASE
- 35 REMOVE LOCKERS & LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
- 36 REMOVE LOCKERS & BULKHEAD ABOVE. PROTECT PORTION OF LOCKER BASE (REMOVE BRICK BASE, CONCRETE CURB TO REMAIN). REFER TO NEW CONSTRUCTION
- 37 REMOVE LOCKERS & BULKHEAD ABOVE. REMOVE LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
- 38 REMOVE CASEWORK
- 39 REMOVE DISPLAY CASE GLAZING SYSTEM & FINISHES (FLOOR, WALL, CEILING) IN PREPARATION FOR NEW FINISHES
- 40 REMOVE DISPLAY CASE
- 41 REMOVE COMBINATION / TACK / MARKER BOARD
- 42 REMOVE TOILET PARTITIONS AND/OR ACCESSORIES
- 43 REMOVE FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER. RETURN FIRE EXTINGUISHER TO OWNER
- 44 REFER TO FOOD SERVICE FOR SERVICE & KITCHEN EQUIPMENT REMOVAL & SALVAGING
- 45 REMOVE STAINLESS STEEL WALL COVER PLATE
- 46 REMOVE DRINKING FOUNTAIN, REFER TO PLUMBING
- 47 SALVAGE SINKS FOR REUSE, REFER TO PLUMBING. REFER TO NEW CONSTRUCTION FOR NEW LOCATION
- 48 REMOVE PLUMBING FIXTURE, REFER TO PLUMBING
- 49 REMOVE SHOWER UNIT, REFER TO PLUMBING

**THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING**

## CHERRY CREEK ELEMENTARY



**KEY PLAN**  
SCALE: NO SCALE

**FIRST FLOOR DEMO PLAN - UNIT C**  
1/8" = 1'-0"

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

SHEET TITLE  
FIRST FLOOR DEMO PLAN - UNIT C

Lowell, Michigan

DATE  
JULY 10, 2025

SHEET NUMBER  
AD 101C  
22-214-100

**TowerPinkster**  
Architecture - Engineering - Interiors  
© 2025. ALL RIGHTS RESERVED.

ISSUED FOR

DATE



ISSUED FOR DATE

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

Lowell, Michigan

SHEET TITLE  
FIRST FLOOR DEMO PLAN - UNIT D


DATE  
JULY 10, 2025  
SHEET NUMBER  
AD 101D  
22-214-100

KEYED NOTES - ARCHITECTURAL - DEMOLITION

- 1 REMOVE SLAB STRUCTURE AS REQUIRED FOR NEW CONSTRUCTION.
- 2 REMOVE CARPET FLOOR & WALL BASE, REFER TO INTERIORS
- 3 REMOVE CARPET RISER SYSTEM & WALL BASE, REFER TO NEW CONSTRUCTION AND INTERIORS
- 4 REMOVE LIVING FLOOR & WALL BASE, REFER TO INTERIORS
- 5 REMOVE TILE FLOOR & WALL BASE, REFER TO INTERIORS
- 6 REMOVE PORTION OF BRICK & CMU WALL FOR NEW OPENING, REFER TO NEW CONSTRUCTION
- 7 REMOVE BRICK WALL
- 8 REMOVE BRICK & CMU WALL
- 10 REMOVE PORTION OF CMU WALL FOR NEW OPENING, COORDINATE WITH NEW CONSTRUCTION
- 11 REMOVE PORTION OF CMU WALL FOR INSTALLATION FIRE EXTINGUISHER CABINET, COORDINATE WITH NEW CONSTRUCTION
- 12 REMOVE PORTION OF CMU WALL AS REQUIRED FOR MEP, COORDINATE WITH NEW CONSTRUCTION, MECHANICAL, ELECTRICAL, & PLUMBING
- 13 REMOVE CMU WALL
- 14 REMOVE METAL STUD WALL
- 15 REMOVE WALL TILE - REFER TO INTERIORS
- 16 REMOVE PARTITION WALL SYSTEM (OPERABLE / NON-OPERABLE), ASSOCIATED COMPONENTS & STRUCTURE ABOVE
- 17 SALVAGE STOREFRONT SYSTEM FOR REUSE - SALVAGE DOOR PANEL & HARDWARE, GLAZING, PANEL, FRAME, ETC. REFER TO NEW CONSTRUCTION
- 18 REMOVE & REPLACE DOOR PANEL & HARDWARE. HM DOOR PANEL & FRAME TO REMAIN AND BE PREPARED FOR NEW PAINT
- 19 REMOVE DOOR AND FRAME SYSTEM
- 20 REMOVE HOLLOW METAL SYSTEM - DOOR, GLAZING, PANEL, FRAME, ETC.
- 21 REMOVE OVERHEAD / SERVICE WINDOW
- 22 REMOVE BAY WINDOW SYSTEM, REFER TO REFERENCE PHOTOS ON AD 701
- 23 REMOVE WINDOW AND FRAME SYSTEM
- 24 REMOVE & REPLACE GLAZING, PREP HM FRAMES TO BE PAINTED
- 25 ALTERNATE #4 - BASE BID: PREP HM FRAMES TO BE PAINTED. ALTERNATE: INCLUDES BASE BID AND REMOVE GLAZING
- 32 REMOVE BENCH TILE FINISH AND SALVAGE WOOD BACKREST TO BE REFINISHED
- 33 REMOVE BENCH & CONCRETE BASE
- 34 REMOVE LOCKERS, BENCH & CONCRETE BASE
- 35 REMOVE LOCKERS & LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
- 36 REMOVE LOCKERS & BULKHEAD ABOVE. PROTECT PORTION OF LOCKER BASE (REMOVE BRICK BASE, CONCRETE CURB TO REMAIN). REFER TO NEW CONSTRUCTION
- 37 REMOVE LOCKERS & BULKHEAD ABOVE. REMOVE LOCKER BASE (BRICK & CONCRETE CURB) AS REQUIRED FOR NEW CONSTRUCTION. REFER TO AD 100
- 38 REMOVE CASEWORK
- 39 REMOVE DISPLAY CASE GLAZING SYSTEM & FINISHES (FLOOR, WALL, CEILING) IN PREPARATION FOR NEW FINISHES
- 40 REMOVE DISPLAY CASE
- 41 REMOVE COMBINATION / TACK / MARKER BOARD
- 42 REMOVE TOILET PARTITIONS AND/OR ACCESSORIES
- 43 REMOVE FIRE EXTINGUISHER CABINET FIRE EXTINGUISHER. RETURN FIRE EXTINGUISHER TO OWNER
- 44 REFER TO FOOD SERVICE FOR SERVERY & KITCHEN EQUIPMENT REMOVAL & SALVAGING
- 45 REMOVE STAINLESS STEEL WALL COVER PLATE
- 46 REMOVE DRINKING FOUNTAIN, REFER TO PLUMBING
- 47 SALVAGE SINKS FOR REUSE, REFER TO PLUMBING. REFER TO NEW CONSTRUCTION FOR NEW LOCATION
- 48 REMOVE PLUMBING FIXTURE, REFER TO PLUMBING
- 49 REMOVE SHOWER UNIT, REFER TO PLUMBING

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

CHERRY CREEK ELEMENTARY



KEY PLAN  
SCALE: NO SCALE

 Remove Carpet Floor **18,754.8 SQ FT**  
 Remove Carpet Floor Base **1,630.3 FT**

FIRST FLOOR DEMOLITION PLAN - UNIT D  
1/8" = 1'-0"



ISSUED FOR DATE

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

Lowell, Michigan

SHEET TITLE  
FIRST FLOOR FINISH PLAN - UNIT A

DATE  
JULY 10, 2025


SHEET NUMBER  
1101A  
22-214.100

- NOTES - FINISH PLANS
- 1 FINISH TAGS APPLY TO LIKE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALLOUT ONE RUN OF CASEWORK, BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
  - 2 CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
  - 3 REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
  - 4 DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
  - 5 WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
  - 6 ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.

- KEYED NOTES - INTERIOR - FINISH PLAN
- 1 ALIGN LVT TO CASEWORK, TYP.
  - 2 ALIGN CARPET TRANSITION TO CORNER.
  - 3 PATCH AND PAINT EXPOSED WALL FINISH TO MATCH EXISTING.
  - 4 PATCH CARPET TILE WITH EXISTING ATTIC STOCK TO MATCH.
  - 5 PATCH VINYL WITH EXISTING ATTIC STOCK TO MATCH.
  - 6 DO NOT INSTALL WALL BASE OVER EXISTING BRICK.
  - 7 INSTALL COMMONS TACKBOARDS 4" ABOVE WALL HUNG LOCKERS, TYP.

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

CHERRY CREEK ELEMENTARY















KEY PLAN  
SCALE: NO SCALE


- RB1
- RFB1
- CPTL4
- CPTL5
- RF1
- RB2
- Floor Transition
- ECPTL1
- sv1

- 670.5 FT
- 235.2 FT
- 342.5 SQ FT
- 3,020.6 SQ FT
- 1,506.9 SQ FT
- 556.6 FT
- 114.8 FT
- 1,630.7 SQ FT
- 108.3 SQ FT

FIRST FLOOR FINISH PLAN - UNIT A  
1/8" = 1'-0"

	RB1	800.4 FT	
	RB2	148.8 FT	
	CPTL424"x24"...	257.0 SQ FT	
	CPTL5	2,579.0 SQ FT	
	Floor Transition	42.9 FT	
	sv1	121.4 SQ FT	

NOTES - FINISH PLANS
1 FINISH TAGS APPLY TO LIKE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALLOUT ONE RUN OF CASEWORK, BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
2 CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
3 REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
4 DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
5 WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
6 ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.
KEYED NOTES - INTERIOR - FINISH PLAN
1 ALIGN LVT TO CASEWORK, TYP.
2 ALIGN CARPET TRANSITION TO CORNER.
4 PATCH AND PAINT EXPOSED WALL FINISH TO MATCH EXISTING.
5 PATCH CARPET TILE WITH EXISTING ATTIC STOCK TO MATCH.
6 PATCH VINYL WITH EXISTING ATTIC STOCK TO MATCH.
7 DO NOT INSTALL WALL BASE OVER EXISTING BRICK.
8 INSTALL COMMONS TACKBOARDS 4" ABOVE WALL HUNG LOCKERS, TYP.





ISSUED FOR DATE

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

Lowell, Michigan

SHEET TITLE  
FIRST FLOOR FINISH PLAN - UNIT C

DATE  
JULY 10, 2025

SHEET NUMBER  
I 101C  
22-214.100


NOTES - FINISH PLANS

1. FINISH TAGS APPLY TO LIKE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALLOUT ONE RUN OF CASEWORK, BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
2. CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
3. REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
4. DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
5. WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
6. ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.

KEYED NOTES - INTERIOR - FINISH PLAN

1. ALIGN LVT TO CASEWORK, TYP.
2. ALIGN CARPET TRANSITION TO CORNER.
4. PATCH AND PAINT EXPOSED WALL FINISH TO MATCH EXISTING.
5. PATCH CARPET TILE WITH EXISTING ATTIC STOCK TO MATCH.
6. PATCH VINYL WITH EXISTING ATTIC STOCK TO MATCH.
7. DO NOT INSTALL WALL BASE OVER EXISTING BRICK.
8. INSTALL COMMONS TACKBOARDS 4" ABOVE WALL HUNG LOCKERS, TYP.


RB1	1,580.5 FT
RB2	278.8 FT
CPTL2	923.1 SQ FT
CPTL1	9,202.0 SQ FT
CPTL3	924.3 SQ FT
Floor Transition	631.8 FT
lvt1	729.8 SQ FT
tcf1	4,246.1 SQ FT
lvt2	534.5 SQ FT
ECPTL1	623.5 SQ FT
tcf2	1,538.4 SQ FT



FIRST FLOOR FINISH PLAN - UNIT C  
1/8" = 1'-0"


THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

CHERRY CREEK ELEMENTARY



KEY PLAN  
SCALE: NO SCALE





FIRST FLOOR FINISH PLAN - UNIT D  
1/8" = 1'-0"

- NOTES - FINISH PLANS**
- 1 FINISH TAGS APPLY TO LIKE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALLOUT ONE RUN OF CASEWORK, BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
  - 2 CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
  - 3 REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
  - 4 DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
  - 5 WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
  - 6 ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.
- KEYED NOTES - INTERIOR - FINISH PLAN**
- 1 ALIGN LVT TO CASEWORK, TYP.
  - 2 ALIGN CARPET TRANSITION TO CORNER.
  - 3 PATCH AND PAINT EXPOSED WALL FINISH TO MATCH EXISTING.
  - 4 PATCH CARPET TILE WITH EXISTING ATTIC STOCK TO MATCH.
  - 5 PATCH VINYL WITH EXISTING ATTIC STOCK TO MATCH.
  - 6 DO NOT INSTALL WALL BASE OVER EXISTING BRICK.
  - 7 INSTALL COMMONS TACKBOARDS 4" ABOVE WALL HUNG LOCKERS, TYP.

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

**CHERRY CREEK ELEMENTARY**

**KEY PLAN**  
SCALE: NO SCALE

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS


SHEET TITLE  
FIRST FLOOR FINISH PLAN - UNIT D

Lowell, Michigan

DATE  
JULY 10, 2025


SHEET NUMBER  
I 101D  
22-214.100

ISSUED FOR  
DATE




RB1	365.2 FT
CPTL 124"x24"x6.35MM ...	132.9 SQ FT
tcf1	1,041.3 SQ FT
sv1	163.9 SQ FT
lvt1	240.9 SQ FT
Floor Transition	25.7 FT


1 MAIN OFFICE SUITE  
1/4" = 1'-0"




1A 111 - RECEPTION WALL  
1/4" = 1'-0"




10 111 MAIN OFFICE - EAST  
1/4" = 1'-0"




1C 113 WORK ROOM - WEST  
1/4" = 1'-0"




1D 114 OFFICE - WEST  
1/4" = 1'-0"




1E 116 CONFERENCE - EAST  
1/4" = 1'-0"




1F 117 WORK ROOM - NORTH  
1/4" = 1'-0"




10 117 WORK ROOM - EAST  
1/4" = 1'-0"




1H 117 WORK ROOM - WEST  
1/4" = 1'-0"




1I 120 QOL - SOUTH  
1/4" = 1'-0"



1J SICK ROOM 122, 123  
1/4" = 1'-0"



2 TOILET 118  
1/4" = 1'-0"



3 118 TOILET - SOUTH  
1/4" = 1'-0"

<b>NOTES - FINISH PLANS</b>	
1	FINISH TAGS APPLY TO LIFE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALL OUT ONE RUN OF CASEWORK. BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
2	CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
3	REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
4	DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
5	WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
6	ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.
<b>NOTES - INTERIOR ELEVATIONS</b>	
1	REFER TO FINISH PLANS FOR CALLOUTS OF MILLWORK OR ENLARGED FINISH PLANS FOR SCOPE NOT COVERED WITHIN INTERIOR ELEVATIONS.
2	REFER TO PATTERN ELEVATIONS FOR COLORBLOCKING AND PATTERNED INSTALLATION DETAILS OF PAINT AND ACOUSTICAL WALL PANELS.
3	REFER TO FINISH PLANS FOR VISUAL DISPLAY BOARD AND CORNER GUARD TAGS.
4	NOT ALL MATERIALS ARE ILLUSTRATED, REFER TO FINISH PLANS AND TYPICAL DETAILS FOR ADDITIONAL INFORMATION.
<b>NOTES - CASEWORK</b>	
1	VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO FABRICATION.
2	FILLER PANELS SHALL BE NO LESS THAN 2" WIDE, UNLESS NOTED OTHERWISE.
3	REFER TO FLOOR FINISH PLANS FOR CASEWORK AND COUNTERTOP FINISHES BY ROOM.
4	FINISH ANY EXPOSED END PANELS, UNDERSIDE OF CABINETS OR OPEN CABINETS, WITH PLASTIC LAMINATE SPECIFIED FOR FRONTS IN THAT ROOM.
5	ALL VERTICAL AND HORIZONTAL EXPOSED AND SEMI-EXPOSED SURFACES TO BE FINISHED WITH BODY PLASTIC LAMINATE.
6	SUPPORT BRACKETS ARE REQUIRED AT AREAS WHERE COUNTERTOP IS OPEN UNDERNEATH. THE CONTRACTOR WILL BE RESPONSIBLE FOR PROVIDING BRACKETS APPROPRIATELY SIZED BASED ON DEPTH OF COUNTERTOP.
7	PATTERN OR GRAIN DIRECTION TO BE VERTICAL ON DOORS AND HORIZONTAL ON DRAWERS - PER AWI STANDARDS, UNLESS NOTED OTHERWISE.
8	LOCKS TO BE KEVED ALIKE PER ROOM.
9	GROVMET LOCATIONS SHALL BE VERIFIED IN THE FIELD WITH THE OWNER PRIOR TO INSTALLATION. COORDINATE WITH POWER & DATA LOCATIONS FOR ANY ADDITIONAL WIRE MANAGEMENT REQUIREMENTS.
10	"SLABSMITHING" WILL BE REQUIRED IN SURFACES WHERE A PATTERNED QUARTZ, NATURAL STONE, OR SOLID SURFACE IS SPECIFIED.
<b>CASEWORK HARDWARE &amp; ACCESSORY SELECTIONS</b>	
1	4" WIRE PULL, 5/16" NICKEL
2	ROUND GROVMET, FINISH WHITE, WHERE INDICATED
3	EASED COUNTERTOP EDGE TYPE / PROFILE
4	ARM HYBRID BRACKET, WHITE FINISH
5	PULL OUT BINS: B.O.D. STEVENS SA910
<b>STANDARD ABBREVIATIONS - CASEWORK</b>	
ADJ - ADJUSTABLE	PO - PULL OUT
FP - FILLER PANEL	BF - BARRIER FREE
RF - REMOVEABLE PANEL	CLR - CLEAR

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

SHEET TITLE  
ENLARGED MAIN OFFICE FINISH PLANS  
AND DETAILS


Lowell, Michigan

DATE  
JULY 10, 2025


SHEET NUMBER  
1431

22-214.100







1 1801 1/4" = 1'-0" GYM STOR 150, OFFICE 151, TLT 152, VEST 160, SHOWER ROOM 161, TOILETS 162, TLT/SHOWER 163, COACH 164, HOME 165, VEST 166




1A 1801 1/4" = 1'-0" TYP LOCKER ROOM TEACHING WALL



1C 1801 1/4" = 1'-0" LOCKER ROOM P-P(C)



1B 1801 1/4" = 1'-0" TYP TOILETS TILE PATTERN CT-P(A)



4 1801 1/4" = 1'-0" VEST 154, AWAY 155, COACH 156, SHOWER 157, SHOWER ROOM 159

RB1  
tcf1  
ECPTL1  
Floor Transition

241.1 FT  
394.6 SQ FT  
120.6 SQ FT  
9.7 FT

NOTES - FINISH PLANS	
1	FINISH TAGS APPLY TO LIKE MATERIALS IN ENTIRE ROOM. I.E. CASEWORK TAG MAY ONLY CALLOUT ONE RUN OF CASEWORK, BUT ALL CASEWORK IN ROOM RECEIVE THE SAME FINISHES, UNLESS TAGGED DIFFERENTLY.
2	CASEWORK FINISH TAGS DO NOT APPLY TO CUSTOM MILLWORK PIECES. REFER TO ENLARGED MILLWORK DETAILS FOR FINISH MATERIALS.
3	REFER TO ENLARGED FINISH PLANS AND PATTERN PLANS FOR ADDITIONAL FINISH DETAILS.
4	DASHED LINE INDICATES LINE OF CEILING ABOVE, REFER TO REFLECTED CEILING PLANS.
5	WHERE NO FINISH TAG IS SHOWN ALL EXISTING FINISHES ARE TO REMAIN, UNLESS OTHERWISE NOTED.
6	ALL EXISTING BRICK IS TO REMAIN EXPOSED AND UNPAINTED.
NOTES - INTERIOR ELEVATIONS	
1	REFER TO FINISH PLANS FOR CALLOUTS OF MILLWORK OR ENLARGED FINISH PLANS FOR SCOPE NOT COVERED WITHIN INTERIOR ELEVATIONS.
2	REFER TO PATTERN ELEVATIONS FOR COLORBLOCKING AND PATTERNED INSTALLATION DETAILS OF PAINT AND ACOUSTICAL WALL PANELS.
3	REFER TO FINISH PLANS FOR VISUAL DISPLAY BOARD AND CORNER GUARD TAGS.
4	NOT ALL MATERIALS ARE ILLUSTRATED, REFER TO FINISH PLANS AND TYPICAL DETAILS FOR ADDITIONAL INFORMATION.
NOTES - CASEWORK	
1	VERIFY ALL DIMENSIONS IN THE FIELD PRIOR TO FABRICATION.
2	FILLER PANELS SHALL BE NO LESS THAN 2" WIDE, UNLESS NOTED OTHERWISE.
3	REFER TO FLOOR FINISH PLANS FOR CASEWORK AND COUNTERTOP FINISHES BY ROOM.
4	FINISH ANY EXPOSED END PANELS, UNDERSIDE OF CABINETS OR OPEN CABINETS, WITH PLASTIC LAMINATE SPECIFIED FOR FRONTS IN THAT ROOM.
5	ALL VERTICAL AND HORIZONTAL EXPOSED AND SEMI-EXPOSED SURFACES TO BE FINISHED WITH BODY PLASTIC LAMINATE.
6	SUPPORT BRACKETS ARE REQUIRED AT AREAS WHERE COUNTERTOP IS OPEN UNDERNEATH. THE CONTRACTOR WILL BE RESPONSIBLE FOR PROVIDING BRACKETS APPROPRIATELY SIZED BASED ON DEPTH OF COUNTER.
7	PATTERN OR GRAIN DIRECTION TO BE VERTICAL ON DOORS AND HORIZONTAL ON DRAWERS - PER AWI STANDARDS, UNLESS NOTED OTHERWISE.
8	LOCKS TO BE KEYS ALIKE PER ROOM.
9	GROMMET LOCATIONS SHALL BE VERIFIED IN THE FIELD WITH THE OWNER PRIOR TO INSTALLATION - COORDINATE WITH POWER & DATA LOCATIONS FOR ANY ADDITIONAL WIRE MANAGEMENT REQUIREMENTS.
10	"SLABSMITHING" WILL BE REQUIRED IN INSTANCES WHERE A PATTERNED QUARTZ, NATURAL STONE, OR SOLID SURFACE IS SPECIFIED.
CASEWORK HARDWARE & ACCESSORY SELECTIONS	
1	4" WIRE PULL, SATIN NICKEL
2	ROUND GROMMET, FINISH WHITE, WHERE INDICATED
3	EASED COUNTERTOP EDGE TYPE / PROFILE
4	AIM HYBRID BRACKET, WHITE FINISH
5	PULL-OUT BINS: B.O.D. STEVENS SA910
STANDARD ABBREVIATIONS CASEWORK	
ADJ	ADJUSTABLE
FP	FILLER PANEL
RP	REMOVABLE PANEL
WALL TILE KEY	
CT-1	
CT-2	
PT-1, PTB-1	
PT-2	
PT-4	

THIS DRAWING SHEET IS INTENDED TO BE PLOTTED IN COLOR. IF THIS TEXT APPEARS IN BLACK AND WHITE, IT IS PLOTTED INCORRECTLY. DISCARD AND OBTAIN AN ACCURATE DRAWING

PROJECT TITLE  
CHERRY CREEK ELEMENTARY  
RENOVATION

OWNER  
LOWELL AREA SCHOOLS

SHEET TITLE  
ALTERNATES ENLARGED LOCKER  
ROOM FINISH PLANS AND DETAILS

Lowell, Michigan

DATE  
JULY 10, 2025

SHEET NUMBER  
1801  
22-214.100